

Class 1

## Coda 1 function Hand Piece

Product Disclosure Information Self-Assessment

Version: 24 Oct 23

<b>Product name</b>	Coda 1 function Hand Piece
<b>Product line</b>	Coda Shower Accessories Range
<b>Product identifier</b>	SHO-5B03

### Product description

Coda 1F Hand Piece

Screw in shower head hand piece for flexible shower hoses.

- 1 Spray Function
- Suitable for All Water Pressure Applications.
- Finish Chrome
- 125 mm Ø head

It is suitable for domestic and commercial use, and with all pressure water supply systems.

<https://www.alexanderbathroom.co.nz/product/coda/>

### Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2, G1.3.4

G2 Laundering — G2.3.4

G3 Food preparation and prevention of contamination — G3.3.5

G12 Water Supplies — G12.3.2, G12.3.5, G12.3.10

### Contributions to compliance

First party self-assessment generated Oct 25, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=16fee2d33e2a2d9ad7fa37a28cde213978d8cb28>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

B2.3.1(a) The Coda 1 function handpiece is durable when used and maintained according to the manufacturers instructions. A 3 year warranty on manufacturing or material faults (domestic installations only). Spare parts are readily available and easily replaced. This product is cleanable, rustproof and impervious to moisture.

G 1.3.2 The coda 1 function hand piece is suitable for commercial and regular domestic use and is to be mounted on a shower wall. The flexible hose and adjustable height are designed for ease of showering and cleaning.

G12.3.5 The shower handpiece and head are designed to supply hot water at a temperature suitable for personal showering and washing. Water efficiency tested to AS/NZS6400 standards.

## Scope of use

The Coda 1 function shower handpiece is intended for use in domestic and commercial showers.

It is suitable for hot and cold water use, and is suitable for all water pressure systems. The unit is wall-mounted.

The handpiece is designed to fit onto a shower hose system and is compatible with all fittings manufactured to NZS 3501. Fittings have 1/2" BSP thread.

Suitable for use by people with disabilities.

## Conditions of use

The Coda 1 function removable shower handpiece is intended for use in domestic and commercial showers.

It is suitable for hot and cold water use, and with all water pressure systems.

The handpiece is designed to fit onto a shower hose system and is compatible with all fittings manufactured to NZS 3501. Fittings have 1/2" BSP thread.

This product is cleanable and impervious to moisture.

Cleaning should be done in accordance with the cleaning instructions provided.

## Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
CARE and USE : Coda, Pano and Sirio Shower Sets and Hand Pieces (Maintenance)	24 Oct 2023	<a href="https://www.alexanderbathroom.co.nz/wp-content/uploads/2023/10/Cleaning-Instructions.pdf">https://www.alexanderbathroom.co.nz/wp-content/uploads/2023/10/Cleaning-Instructions.pdf</a>

## Contact details

Manufacture location	Overseas
----------------------	----------

<b>Legal and trading name of manufacturer</b>	Overseas
<b>Legal and trading name of importer</b>	Alexander Manufacturing Ltd
<b>Importer address for service</b>	11 Stanmore Road Phillipstown 8011
<b>Importer website</b>	<a href="https://www.alexanderbathroom.co.nz/">https://www.alexanderbathroom.co.nz/</a>
<b>Importer NZBN</b>	9429040365657
<b>Importer email</b>	admin@alexandermfg.co.nz
<b>Importer phone number</b>	03 373 8010

## Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

## Appendix

### BPIR Ready selections

Category: Tapware

	Yes	No
Suitable for accessible facilities	x	
Provision of hot water for sanitary fixtures	x	

### Building code performance clauses

All relevant building code performance clauses listed in this document:

#### B2 Durability

##### B2.3.1

*Building elements* must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if:
- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
  - ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

First party self-assessment generated Oct 25, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=16fee2d33e2a2d9ad7fa37a28cde213978d8cb28>

Get BPIR Ready | [bpir.nz](https://bpir.nz)

## F2 Hazardous building materials

### F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

## G1 Personal Hygiene

### G1.3.2

*Sanitary fixtures* shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

### G1.3.4

Personal hygiene facilities provided for *people with disabilities* shall be *accessible*

## G2 Laundering

### G2.3.4

*Accessible* facilities shall be provided for people with disabilities.

## G3 Food preparation and prevention of contamination

### G3.3.5

Where facilities are provided for *people with disabilities* they shall be *accessible*.

## G12 Water Supplies

### G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.

### G12.3.5

*Sanitary fixtures* and *sanitary appliances* must be provided with hot water when intended to be used for

- a. utensil washing; and
- b. personal washing, showering, or bathing.

G12.3.10

Water supply taps must be *accessible* and usable for *people with disabilities*.